### EXECUTIVE SUMMARY - ENFORCEMENT MATTER

Page 1 of 2

**DOCKET NO.:** 2007-1760-MWD-E **TCEQ ID:** RN101384758 **CASE NO.:** 34881

**RESPONDENT NAME:** City of Southside Place

ORDER TYPE:					
X 1660 AGREED ORDER	FINDINGS AGREED ORDER	FINDINGS ORDER FOLLOWING SOAH HEARING			
FINDINGS DEFAULT ORDER	_SHUTDOWN ORDER	IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER			
AMENDED ORDER	_EMERGENCY ORDER				
CASE TYPE:					
AIR	MULTI-MEDIA (check all that apply)	INDUSTRIAL AND HAZARDOUS WASTE			
PUBLIC WATER SUPPLY	PETROLEUM STORAGE TANKS	OCCUPATIONAL CERTIFICATION			
X WATER QUALITY	SEWAGE SLUDGE	UNDERGROUND INJECTION CONTROL			
MUNICIPAL SOLID WASTE	RADIOACTIVE WASTE	DRY CLEANER REGISTRATION			

# RESPONDENT NAME: City of Southside Place DOCKET NO.: 2007-1760-MWD-E

#### VIOLATION SUMMARY CHART: CORRECTIVE ACTIONS **VIOLATION INFORMATION** PENALTY CONSIDERATIONS Daras Chilledan Links TAKEN/REQUIRED SERVICE CONTROL OF STREET Type of Investigation: Total Assessed: \$3,600 **Corrective Actions Taken:** Complaint X Routine Total Deferred: \$720 The Executive Director recognizes that on \_\_\_ Enforcement Follow-up September 17, 2007, the City submitted an X Expedited Settlement application for authorization to discharge \_ Records Review wastewater under a TPDES permit. \_\_Financial Inability to Pay Date(s) of Complaints Relating to this Case: None **Ordering Provisions:** SEP Conditional Offset: \$2,880 1) The Order will require the Respondent Date of Investigation Relating to this **Total Paid to General Revenue: \$0** to implement and complete a Case: September 24, 2007 Supplemental Environmental Project Site Compliance History Classification (SEP). (See SEP Attachment A) Date of NOV/NOE Relating to this Case: High X Average Poor October 16, 2007 (NOE) 2) The Order will also require the **Person Compliance History Classification** Respondent to: Background Facts: This was a routine \_\_ High \_\_X\_ Average \_\_ Poor investigation. a. Immediately upon the effective date of Major Source: \_\_\_ Yes \_X No this Agreed Order, until such time that WATER authorization to operate is obtained, or Applicable Penalty Policy: September 2002 until 180 days after the effective date of Failed to maintain authorization for the this Agreed Order, whichever is earlier, discharge of wastewater. Specifically, the comply with the permit limits and City did not renew Texas Pollutant conditions of expired TPDES Permit No. Discharge Elimination System ("TPDES") Permit No. 10712001, and is continuing to 10712001; discharge wastewater from the Facility b. Respond completely and adequately, as without authorization [Tex. Water Code determined by the TCEQ, to all requests § 26.121(a) and 30 Tex. ADMIN. CODE §§ for information concerning the permit 305.65 and 305.125(2)]. application within 30 days after the date of such requests or by any other deadline specified in writing; and c. Within 180 days after the effective date of this Agreed Order, submit written certification of compliance that either authorization to operate has been obtained or that operation has ceased until such time that appropriate authorization is obtained. The certification shall include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision Nos. 2.a through 2.c.

Additional ID No(s).: 10712-001

# Attachment A Docket Number: 2007-1760-MWD-E

#### SUPPLEMENTAL ENVIRONMENTAL PROJECT

Respondent: City of Southside Place

Payable Penalty Amount: Two Thousand Eight Hundred Eighty Dollars (\$2,880)

SEP Amount: Two Thousand Eight Hundred Eighty Dollars (\$2,880)

Type of SEP: Pre-approved

Third-Party Recipient: Texas Association of Resource Conservation and Development

Areas, Inc. ("RC&D")- Wastewater Treatment Assistance

Location of SEP: Harris County

The Texas Commission on Environmental Quality ("TCEQ") agrees to offset a portion of the administrative Penalty Amount assessed in this Agreed Order for the Respondent to contribute to a Supplemental Environmental Project ("SEP"). The offset is equal to the SEP Amount set forth above and is conditioned upon completion of the project in accordance with the terms of this Attachment A.

#### 1. Project Description

#### A. Project

The Respondent shall contribute to the Third-Party Recipient pursuant to the agreement between the Third-Party Recipient and the TCEQ. Specifically, the contribution will be used to provide low income rural homeowners with assistance to enable the repair or replacement of their failing on-site wastewater systems. SEP monies will be used to pay for the labor and materials costs related to repairing or replacing the failing systems. The recipients will not be charged for the cost of replacing or repairing the failing systems.

The Respondent certifies that there is no prior commitment to do this project and that it is being performed solely in an effort to settle this enforcement action.

#### B. Environmental Benefit

This SEP will provide a discernible environmental benefit by protecting water sources for drinking, recreation, and wildlife from contamination from failing treatment systems.

#### C. Minimum Expenditure

The Respondent shall contribute at least the SEP Amount to the Third-Party Recipient and comply with all other provisions of this SEP.

. de

en de la composition La composition de la

and the second of the second o

and the second of the second o

.

#### 2. Performance Schedule

Within 30 days after the effective date of this Agreed Order, the Respondent must contribute the SEP Amount to the Third-Party Recipient. The Respondent shall mail the contribution, with a copy of the Agreed Order, to:

Texas Association of Resource Conservation and Development Areas, Inc. 1716 Briarcrest Drive, Suite 510 Bryan, Texas 77802-2700

#### 3. Records and Reporting

Concurrent with the payment of the SEP Amount, the Respondent shall provide the TCEQ SEP Coordinator with a copy of the check and transmittal letter indicating full payment of the SEP Amount to the Third-Party Recipient. The Respondent shall mail a copy of the check and transmittal letter to:

Enforcement Division Attention: SEP Coordinator, MC 219 Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087

#### 4. Failure to Fully Perform

If the Respondent does not perform its obligations under this SEP in any way, including full payment of the SEP Amount and submittal of the required reporting described in Section 3 above, the Executive Director may require immediate payment of all or part of the SEP Amount.

The check for any amount due shall be made out to "Texas Commission on Environmental Quality" and mailed to:

Texas Commission on Environmental Quality Financial Administration Division, Revenues Attention: Cashier, MC 214 P.O. Box 13088 Austin, Texas 78711-3088

The Respondent shall also mail a copy of the check to the TCEQ SEP Coordinator at the address in Section 3 above.

#### 5. Publicity

Any public statements concerning this SEP made by or on behalf of the Respondent must include a clear statement that the project was performed as part of the settlement of an enforcement action brought by the TCEQ. Such statements include advertising, public relations, and press releases.

en de la composition La composition de la

en de la composition La composition de la La composition de la

City of Southside Place Agreed Order - Attachment A

#### 6. Clean Texas Program

The Respondent shall not include this SEP in any application made to TCEQ under the "Clean Texas" (or any successor) program(s). Similarly, the Respondent may not seek recognition for this contribution in any other state or federal regulatory program.

### 7. Other SEPs by TCEQ or Other Agencies

The SEP identified in this Agreed Order has not been, and shall not be, included as an SEP for the Respondent under any other Agreed Order negotiated with the TCEQ or any other agency of the state or federal government.

	Penalty Calculatio	n Worksheet (P	*	fombor 10, 2007
Policy Revision 2 (Septem	per 2002)		PCW Revision Sep	ember 19, 2007
DATES Assigned 2	2-Oct-2007		., <del>10. 10 20 2 20.00</del>	<del></del>
	29-Oct-2007 <b>Screening</b> 29-Oct-2007	EPA Due		
500000000000000000000000000000000000000				
RESPONDENT/FACILITY IN				<u>L</u> wed Strew
	ty of Southside Place		i i i ja ja saata ja saata waqaa aa aa	
Reg. Ent. Ref. No. R			IMinar	_
Facility/Site Region 12	-Houston	Major/Minor Source	IVIInor	
CASE INFORMATION				
Enf./Case ID No. 34	.881	No. of Violations	1	
	007-1760-MWD-E	Order Type		-
Media Program(s) W		Enf. Coordinator		7
Multi-Media	The state of the s		Enforcement Team 1	
Admin. Penalty \$ Lin	nit Minimum \$0 Maximum	\$10,000	* *************************************	<del></del>
	Penalty Calcula	ation Section		
BOLL OF COMMON CONTROL			ag types on a grown	****
TOTAL BASE PENALT	Y (Sum of violation base penaltie	<b>)</b>	Subtotal 1	\$2,000
	en mentra de la companio de la compa		TEMBERS CONTOURS PRODUCTION OF THE BA	
ADJUSTMENTS (+/-) TO				有种的现在分词
The first track and the second of the second	by multiplying the Total Base Penalty (Subtotal 1) by		otolo 2 2 9 7	\$1,600
Compliance History			otals 2, 3, & 7	\$1,000
	The penalty is enhanced due to 27 self-re			
Notes th	ree NOVs with unrelated violations, and o			
	order containing a denial	of liability.	<u>'</u>	
			C. 14-4-14	\$0
Culpability	No haraman sahara on 0%	Enhancement	Subtotal 4	φ0
Notes	The Respondent does not meet the	e culpability criteria.		
Troics	The Respondent does not most an	o carpaomity officeria.		
		The state of the s	- 	<b>CO</b>
Good Faith Effort to	Market Control of the	Reduction	Subtotal 5	\$0
	Before NOV NOV to EDPRP/Settlement Offer			
Extraordinary Ordinary	2 - 12 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
N/A	X (mark with x)			
la presenti	A (mark war x)			
Notes	The Respondent does not meet the	e good faith criteria.		
1				
The Section of the Control of the Co		Enhancement*	Subtotal 6	\$0
Te		d at the Total EB \$ Amount	A888. 7778 T.	
Approx. Cos	st of Compliance \$10,000			
	gan <u>Sta</u> ndard (1987) in the latter foliage was to the Standard Standard Standard (1988) and the Standard Standard Standard (1988) and the Standard Standard Standard Standard (1988) and the Standard Standard Standard (1988) and the Standard (1988) a		PARTICULAR CONSISTS	
SUM OF SUBTOTALS			Final Subtotal	\$3,600
a su suat coma testa testa testa de de	TO CONTRACT OF THE SECOND SECO		nanger de beskeler	
	JUSTICE MAY REQUIRE	0%	Adjustment	\$0
Reduces or enhances the Final Subt	otal by the indicated percentage.	egggynn og mora meddynningsse greeg herbyne i gan ein	7	
Notes				
L. C.		Einel De	nalty Amount	\$3,600
		rinai Pe	marty Amount	\$3,000
			AND	\$3,600
STATUTORY LIMIT AD	JUSTMENT	Final Ass	essed Penalty	\$3,000
<u>a carakterian na</u> a miningan		- [17] - 17] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18] - 18]		<b>#700</b>
DEFERRAL	andreas and the second of the	20% Reduction	Adjustment	-\$720
Reduces the Final Assessed Penalty	y by the indicted percentage. (Enter number only; e.	g. 20 for 20% reauction.)		
1 control of the second	Deferred afferred for a constalled	ad cattlement		
Notes	Deferral offered for expedite	ou oculentent,		
_			_	
DAYARI E DENALTY				\$2.880
SEAVABLE DENALLY			<ul> <li>Science Anna Control (1997) 1997 (1997) 1997 (1997)</li> </ul>	3Z.00U

Screening Date 29-Oct-2007

Docket No. 2007-1760-MWD-E

**PCW** 

Respondent City of Southside Place Case ID No. 34881

Policy Revision 2 (September 2002) PCW Revision September 19, 2007

Reg. Ent. Reference No. RN101384758

Media [Statute] Water Quality Enf. Coordinator Lynley Doyen

NOVs	Written NOVs with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	0	0%
	Other written NOVs	30	60%
	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)		20%
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission		0%
Judgments	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgements or consent decrees meeting	0	0%
and Consent	criteria )		
Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government		0%
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
Andito	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)		0%
Audits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	yes - <b>.0</b> . <sub>2</sub>	0%
	Plea	se Enter Yes or No	
	Environmental management systems in place for one year or more	No	0%
Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No No	0%
Other	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Screening	g Date	29-Oct-2007	Docket N	o. 2007-1760-MWD-E		PCW
Respo	ondent	City of Southside Place			Policy Revision	2 (September 2002)
	ID No.				PCW Revision	September 19, 2007
Reg. Ent. Referen						
		Water Quality				
Enf. Coord		Lynley Doyen				
Violation N	Number	1				
Rule	Cite(s)	Tex. Water Code § 26.1	21(a) and 30 Tex. Admir	n. Code §§ 305.65 and 305.1	125(2)	and deviate the control of the contr
Violation Desc	cription	did not renew Texas Poll	utant Discharge Elimina	of wastewater. Specifically, tion System ("TPDES") Pern tewater from the Facility with	nit No.	
	***			Base	Penalty	\$10,000
>> Environmental, Pro	perty a		rix			A APROximated
bosenjalijan	Release	<b>Harm</b> Major Moderate	Minor			ssimeth Associa
OR	Actual	Major Moderate	I IIII			amount of delice
	Potential			Percent 0%		You're detailed in the second of the second
SIRIES		•				Aus demánso de Ade
>>Programmatic Matri		AND HELL DAY THAT SERVED THE SERVED	A SAMPLE CONTRACT			nia dovo Piniškos
Falsi	ification	Major Moderate	Minor	Percent 10%		A PA
(3848999B/II)			LI	1070		OAA AAURINA
Matrix Notes		100% of the	rule requirement was r	not met.		
La paga da sa Valabaga al Ossellos		ennesiaes 350 V		Adjustment	\$9,000	
	es palarinasurana	PPROTEST STATE OF THE STATE OF	MINISTER STORES			
						\$1,000
Violation Events	er og en i Se sangan (8)					
Numb	per of Vic	lation Events 2	58	Number of violation days	3	solution Assessed
	conly one ith an x	daily x quarterly semiannual annual single event		Violation Base	Penalty	\$2,000
Two	monthly		rom the date the TPDES ening date (October 29,	S permit expired (September 2007).	1, 2007)	Annual de l'Albania de des
Economic Benefit (EB	) for th	s violation		Statutory Limit Tes	t assessment	
E	stimated	I EB Amount	\$625	Violation Final Pena	ity Total	\$3,600
		٦	his violation Final Δes	sessed Penalty (adjusted fo	or limits)	\$3,600
	in the applications and stable	TO THE RESERVE OF THE PROPERTY	THE METERS OF THE PROPERTY OF	CALLEGE CONTRACTOR OF THE PROPERTY OF THE PROP	HERMANISA CONTRACTOR	RECOMMODIST IS

Respondent	City of Southsic						
Case ID No.	34881						
Reg. Ent. Reference No.	RN101384758						
	Water Quality						Years of
Violation No.	•					Percent Interest	Depreciation
Violation ivo.	. The section				as disk by the strive. I'll	5.0	15
		All broks Relations for				Anneadown and the second	<del> </del>
All Smith Eligibut	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
Item Description	No commas or \$	The state of the state of	46 July 18	100000		(ajosit) shish	
1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		and the party of t	11	4.7			
Delayed Costs	Allham Inc.		wasaning language				
Equipment	Name of the second second			0.0	\$0	\$0	\$0
Buildings	300 06844	S. T. La rescription	Kill Miller Land Co.	0,0	\$0	\$0	\$0
Other (as needed)		Anna and the Gustisia	Market er all	0,0	\$0	\$0	\$0
Engineering/construction	L	The same of the state of the st	1000 and a second second	0,0	\$0	\$0110	ि \$0
Land				0.0	\$0	n/a	\$0
Record Keeping System				0.0	\$0	n/a	\$0
Training/Sampling				0.0	\$0	n/a	\$0
Remediation/Disposal	4:222		00.11 0000	0.0	\$0	n/a	\$0
Permit Costs	\$10,000	1-Sep-2007	30-Nov-2008	1.2	\$625 \$0	n/a n/a	\$625 \$0
Other (as needed)	2.6.343	المستحد المستحدا	A TABLE TO A STREET	0.0	Ι Φυ	II/a	ΦU
				п арриса		orization to dischar	ge wastewater.
Notes for DELAYED costs			ipinik (i)	escioned.	e e Labigió.	expected date of co	-
Avoided Costs		UALIZE [1] avoid	ipinik (i)	ntering	item (except for	യാട്ടിൻ one-time avoided c	osts)
Avoided Costs	ANN	UALIZE [1] avoid	ipinik (i)	es innut	item (except for	one-time avoided c ിക്കാര്\$0	
Avoided Costs Disposal Personnel	ANN	UALIZE [1] avoid	ipinik (i)	entering 0.0	item (except for	യാട്ടിൻ one-time avoided c	osts) \$0
Avoided Costs	ANN	UALIZE [1] avoid	ipinik (i)	ntering 0.0 0.0	Item (except for \$0 \$0	one-time avoided o	osts) \$0 \$0
Avoided Costs Disposal Personnel Inspection/Reporting/Sampling	ANN	UALIZE [1] avoid	ipinik (i)	o.0 0.0 0.0 0.0	Item (except for \$0 \$0 \$0 \$0	one-time avoided c	so \$0 \$0 \$0 \$0
Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Suppiles/equipment	ANN	UALIZE [1] avoid	ipinik (i)	0.0 0.0 0.0 0.0 0.0 0.0	tem (except for   \$0	one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0 \$0
Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]	ANN	UALIZE [1] avoid	ipinik (i)	0.0 0.0 0.0 0.0 0.0	Item (except for   \$0	one-time avoided of \$0 \$0 \$0 \$0 \$0 \$0	so(\$) \$0 \$0 \$0 \$0 \$0 \$0 \$0
Avoided Costs  Disposal  Personnel Inspection/Reporting/Sampling  Supplies/equipment  Financial Assurance [2]  ONE-TIME avoided costs [3]	ANN	UALIZE [1] avoid	ipinik (i)	0.0 0.0 0.0 0.0 0.0 0.0	tem (except for   \$0	one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0	sosts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3] Other (as needed)	ANN	UALIZE [1] avoid	ed costs before e	entering   0.0   0.0   0.0   0.0   0.0   0.0   0.0	tem (except for   \$0	one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0	sosts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Avoided Costs  Disposal  Personnel Inspection/Reporting/Sampling  Supplies/equipment  Financial Assurance [2]  ONE-TIME avoided costs [3]	ANN	UALIZE [1] avoid	ed costs before e	entering   0.0   0.0   0.0   0.0   0.0   0.0   0.0	tem (except for   \$0	one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0	sosts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3] Other (as needed)	ANN	UALIZE [1] avoid	ed costs before e	entering   0.0   0.0   0.0   0.0   0.0   0.0   0.0	tem (except for   \$0	one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0	sosts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3] Other (as needed)	ANN	UALIZE [1] avoid	ed costs before e	entering   0.0   0.0   0.0   0.0   0.0   0.0   0.0	tem (except for   \$0	one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0	sosts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0

#### **Compliance History**

Rating Date: September 01 07

Repeat Violator: NO

CN600626758 City of Southside Place Classification: AVERAGE Rating; 2.62 Customer/Respondent/Owner-Operator: RN101384758 CITY OF SOUTHSIDE PLACE Classification: AVERAGE Site Rating: 2.24 Regulated Entity: REGISTRATION P0522 ID Number(s): UTILITIES TPDES0026972 WASTEWATER PERMIT PERMIT TX026972 WASTEWATER WQ0014850001 PERMIT WASTEWATER WASTEWATER LICENSING LICENSE WQ0010712001 LOCATED AT 3701 BELLAIRE BLVD, APPRX 1.5 M E OF THE Location: INTX OF IH 610 AND BELLAIRE BLVD, HARRIS CO, TX **REGION 12 - HOUSTON** TCEQ Region: October 29, 2007 Date Compliance History Prepared: Agency Decision Requiring Compliance History: Enforcement October 29, 2002 to October 29, 2007 Compliance Period: TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History Phone: 512-239-1364 Name: Lynley Doyen **Site Compliance History Components** 1. Has the site been in existence and/or operation for the full five year compliance period? 2. Has there been a (known) change in ownership of the site during the compliance period? No 3. If Yes, who is the current owner? N/A 4. if Yes, who was/were the prior owner(s)? N/A 5. When did the change(s) in ownership occur? Components (Multimedia) for the Site: Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government. ADMINORDER 2006-0122-MWD-E Effective Date: 08/20/2006 Classification: Moderate 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1) Ramt Prov: Effluent Limits PERMIT Description: Failure to comply with its permitted effluent limitations. В Any criminal convictions of the state of Texas and the federal government. N/A C. Chronic excessive emissions events. N/A D The approval dates of investigations. (CCEDS Inv. Track. No.) 1 11/18/2002 (174878) 2 12/18/2002 (174882) 3 01/15/2003 (174886) 4 02/20/2003 (174846) 5 03/17/2003 (174849)

6 04/21/2003 (174854) 7 05/21/2003 (174858) 8 06/23/2003 (174862) 9 07/18/2003 (302480) 10 08/01/2003 (62148) 11 08/25/2003 (302483) 12 09/11/2003 (248548) 13 09/19/2003 (302485) 14 10/17/2003 (302487) 15 11/20/2003 (302489) 16 12/19/2003 (302490) 17 01/15/2004 (302491) 18 02/18/2004 (302469) 19 03/22/2004 (302472) 20 04/20/2004 (302473) 21 05/20/2004 (302476) 22 06/21/2004 (302478) 23 07/20/2004 (354919) 24 07/20/2004 (354920) 25 08/26/2004 (354921) 26 09/22/2004 (354922)

```
27 10/19/2004 (354923)
            28 11/18/2004 (354924)
            29 12/17/2004 (383425)
            30 01/18/2005 (383426)
            31 02/22/2005 (383423)
            32 03/18/2005 (383424)
            33 04/18/2005 (421258)
            34 05/23/2005 (421259)
            35 06/17/2005 (421260)
            36 07/22/2005 (421261)
            37 08/24/2005 (442239)
            38 09/16/2005 (442240)
           39 10/24/2005 (471199)
40 11/17/2005 (471200)
            41 12/20/2005 (471201)
42 01/17/2006 (450303)
            43 01/18/2006 (471203)
44 01/24/2006 (449928)
           44 01/24/2006 (449928)
45 02/17/2006 (471197)
46 03/16/2006 (471198)
47 04/18/2006 (499965)
48 05/05/2006 (463974)
            49 05/23/2006 (499966)
            50 06/22/2006 (499967)
            51 07/14/2006 (522057)
            52 08/21/2006 (522058)
            53 09/15/2006 (522059)
            54 10/23/2006 (546725)
            55 11/15/2006 (546726)
            56 12/18/2006 (519279)
            57 01/10/2007 (546727)
            58 01/23/2007 (578998)
            59 02/20/2007 (578992)
            60 03/21/2007 (578993)
61 04/20/2007 (578994)
            62 05/18/2007 (578995)
63 06/21/2007 (578996)
            64 06/27/2007 (565308)
            65 07/20/2007 (578997)
66 10/16/2007 (596040)
            Written notices of violations (NOV). (CCEDS Inv. Track. No.)
Date: 10/31/2002 (174878)
            Self Report? YES
                                                                                                    Classification: Moderate
                        30 TAC Chapter 305, SubChapter F 305.125(1)
                         TWC Chapter 26 26.121(a)[G]
            Description: Failure to meet the limit for one or more permit parameter
Date: 02/28/2003 (174849)
                                                                                                    Classification: Moderate
            Self Report? YES
                        30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)[G]
            Citation:
            Description: Failure to meet the limit for one or more permit parameter
Date: 05/31/2003 (174862)
            Self Report? YES
                                                                                                    Classification: Moderate
                        30 TAC Chapter 305, SubChapter F 305.125(1)
                         TWC Chapter 26 26.121(a)[G]
            Description: Failure to meet the limit for one or more permit parameter
Date: 07/31/2003 (62148)
            Self Report? NO
                                                                                                    Classification: Minor
            Citation: 30 TAC Chapter 319, SubChapter A 319.11(c)
            Description: Failure to provide accurate flow measurements.
                                                                                                    Classification: Minor
            Self Report? NO
            Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
            Description: Failure to maintain compliance with the permit limits for daily average flow.
                                                                                                    Classification: Minor
            Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
            Description: Failure to operate and maintain the blowers/mechanical aeration.
```

Date: 09/30/2003 (302487)

E.

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 01/31/2004 (302469)

Self Report? YES

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Classification: Moderate

Classification: Moderate

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 02/29/2004 (302472)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)[G] Citation:

Description: Failure to meet the limit for one or more permit parameter

Date: 04/30/2004 (302476)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 05/31/2004 (302478)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)[G] Citation:

Description: Failure to meet the limit for one or more permit parameter

Date: 06/30/2004 (354919)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 09/30/2004 (354923)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 11/30/2004 (383425)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 02/28/2005 (383424)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 06/30/2005 (421261)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 07/31/2005 (442239)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 08/31/2005 (442240)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 09/30/2005 (471199)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 10/31/2005 (471200)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Classification: Moderate

Date: 01/13/2006 (450303)

Self Report? NO

Citation: 30 TAC Chapter 305, SubChapter F 305.126(a)

Description: Failure to maintain compliance with the 75/90 Rule.

Self Report? NO

Citation: 30 TAC Chapter 317 317.3[G]

Description: Failure to install alarms on the lift stations.

Self Report? NO Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Fallure to maintain compliance with the permit limit for daily average flow and 2

Self Report? NO Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to maintain compliance with permit limits. Ammonia-nitrogen violations

were reported in June 2005, August 2005, September 2005, and October 2005.

Self Report? NO

Citation: 30 TAC Chapter 319, SubChapter A 319.7(c)
Description: Failure to report the correct loading values on the Discharge Monitoring Report

(DMR)

Date: 04/30/2006 (499966)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 05/31/2006 (499967)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)[G] Citation:

Description: Failure to meet the limit for one or more permit parameter

Date: 06/30/2006 (522057)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)[G] Citation:

Description: Failure to meet the limit for one or more permit parameter

Date: 07/31/2006 (522058)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 10/31/2006 (546726)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)[G] Citation:

Description: Failure to meet the limit for one or more permit parameter

Date: 12/18/2006 (519279)

Self Report? NO

30 TAC Chapter 317 317.4(a)(8) Citation:

30 TAC Chapter 317 317.7(i)

Description: Failure to provide a vacuum breaker for one hose outlet.

Self Report? NO Citation:

30 TAC Chapter 305, SubChapter F 305.125(4) 30 TAC Chapter 305, SubChapter F 305.125(5)

TWC Chapter 26 26.121

TWC Chapter 26 26.121 (a)(1) TWC Chapter 26 26.121(a)(2) TWC Chapter 26 26.121(a)(3) TWC Chapter 26 26.121(a)(3) TWC Chapter 26 26.121(b) TWC Chapter 26 26.121(c) TWC Chapter 26 26.121(d) TWC Chapter 26 26.121(e) TWC Chapter 26 26.121(e) TWC Chapter 26 26.121(e) TWC Chapter 26 26.121(G)

TWC Chapter 26 26.121[G]

Description: Failure to prevent the unauthorized discharge of waste into or adjacent to the

waters of the State.

Self Report? NO

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to ensure flow measurement accuracy.

Self Report? NO

Citation: 30 TAC Chapter 319, SubChapter A 319.7(e)

Classification: Moderate

Classification: Moderate

Classification: Minor

Classification: Minor

Classification: Major

Classification: Moderate

Classification: Moderate

Classification: Moderate

Classification: Moderate

Classification: Moderate

Classification: Minor

Classification: Moderate

Classification: Minor

Classification: Minor

Description: Failure to properly report peak flow.

Self Report? NO

Citation: 30 TAC Chapter 319, SubChapter A 319.6
30 TAC Chapter 319, SubChapter A 319.9(c)
Description: Failure to document proper quality control analyses for total residual chlorine.

Date: 01/31/2007 (578992)

Self Report? YES

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 03/31/2007 (578994)

Self Report? YES

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)[G]
Description: Failure to meet the limit for one or more permit parameter

Date: 04/30/2007 (578995)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

Date: 05/31/2007 (578996)

Self Report? YES

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)[G]
Description: Failure to meet the limit for one or more permit parameter

Date: 06/30/2007 (578997)

Self Report? YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)[G]

Description: Failure to meet the limit for one or more permit parameter

F. Environmental audits.

N/A

Type of environmental management systems (EMSs). G.

N/A

Voluntary on-site compliance assessment dates. Η.

N/A

Participation in a voluntary pollution reduction program.

N/A

Early compliance. J.

N/A

Sites Outside of Texas

N/A

Classification: Minor

Classification: Moderate

Classification: Moderate

Classification: Moderate

Classification: Moderate

Classification: Moderate

.

•

## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§ BEFORE THE
ENFORCEMENT ACTION	
CONCERNING	§ TEXAS COMMISSION ON
CITY OF SOUTHSIDE PLACE	[[\$ 일 = 도시하는 말로, 다른 고객들 있는
RN101384758	§ ENVIRONMENTAL QUALITY

#### AGREED ORDER DOCKET NO. 2007-1760-MWD-E

#### I. JURISDICTION AND STIPULATIONS

At its \_\_\_\_\_\_ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding the City of Southside Place ("the City") under the authority of TEX. WATER CODE chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the City appear before the Commission and together stipulate that:

- 1. The City owns and operates a domestic wastewater treatment system located at 3701 Bellaire Boulevard, approximately 1.5 miles east of the intersection of Interstate Highway 610 and Bellaire Boulevard in Harris County, Texas (the "Facility").
- 2. The City has caused, suffered, allowed or permitted the discharge of any waste or the performance of any activity in violation of TEX. WATER CODE ch. 26 or any rule, permit, or order of the Commission.
- 3. The Commission and the City agree that the Commission has jurisdiction to enter this Agreed Order, and that the City is subject to the Commission's jurisdiction.
- 4. The City received notice of the violations alleged in Section II ("Allegations") on or about October 21, 2007.
- 5. The occurrence of any violation is in dispute and the entry of this Agreed Order shall not constitute an admission by the City of any violation alleged in Section II ("Allegations"), nor of any statute or rule.

- 6. An administrative penalty in the amount of Three Thousand Six Hundred Dollars (\$3,600) is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). Two Thousand Eight Hundred Eighty Dollars (\$2,880) of the administrative penalty shall be conditionally offset by the City's completion of a Supplemental Environmental Project ("SEP") and Seven Hundred Twenty Dollars (\$720) is deferred contingent upon the City's timely and satisfactory compliance with all the terms of this Agreed Order. The deferred amount will be waived upon full compliance with the terms of this Agreed Order. If the City fails to timely and satisfactorily comply with all requirements of this Agreed Order, the Executive Director may require the City to pay all or part of the deferred penalty.
- 7. Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.
- 8. The Executive Director of the TCEQ and the City have agreed on a settlement of the matters alleged in this enforcement action, subject to the approval of the Commission.
- 9. The Executive Director recognizes that on September 17, 2007, the City submitted an application for authorization to discharge wastewater under a Texas Pollutant Discharge Elimination System ("TPDES") permit.
- 10. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the City has not complied with one or more of the terms or conditions in this Agreed Order.
- 11. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
- 12. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable.

#### II. ALLEGATIONS

As owner and operator of the Facility, the City is alleged to have failed to maintain authorization for the discharge of wastewater, in violation of TEX. WATER CODE § 26.121(a) and 30 TEX. ADMIN. CODE §§ 305.65 and 305.125(2), as documented during an investigation conducted on September 24, 2007. Specifically, the City did not renew TPDES Permit No. 10712001, and is continuing to discharge wastewater from the Facility without authorization.

#### III. DENIALS

The City generally denies each allegation in Section II ("Allegations").

#### IV. ORDERING PROVISIONS

1. It is, therefore, ordered by the TCEQ that the City pay an administrative penalty as set forth in Section I, Paragraph 6 above. The payment of this administrative penalty and the City's compliance with all the terms and conditions set forth in this Agreed Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations, which are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: City of Southside Place, Docket No. 2007-1760-MWD-E" to:

Financial Administration Division, Revenues Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

- 2. The City shall implement and complete a SEP in accordance with TEX. WATER CODE § 7.067. As set forth in Section I, Paragraph 6 above, Two Thousand Eight Hundred Eighty Dollars (\$2,880) of the assessed administrative penalty shall be offset with the condition that the City implement the SEP defined in Attachment A, incorporated herein by reference. The City's obligation to pay the conditionally offset portion of the administrative penalty assessed shall be discharged upon final completion of all provisions of the SEP agreement.
- 3. It is further ordered that the City shall undertake the following technical requirements:
  - a. Immediately upon the effective date of this Agreed Order, until such time that authorization to operate is obtained, or until 180 days after the effective date of this Agreed Order, whichever is earlier, comply with the permit limits and conditions of expired TPDES Permit No. 10712001;
  - b. Respond completely and adequately, as determined by the TCEQ, to all requests for information concerning the permit application within 30 days after the date of such requests or by any other deadline specified in writing; and
  - c. Within 180 days after the effective date of this Agreed Order, submit written certification of compliance that either authorization to operate has been obtained or that operation has ceased until such time that appropriate authorization is obtained. The certification shall include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision Nos. 3.a through 3.c. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant

City of Southside Place DOCKET NO. 2007-1760-MWD-E Page 4

penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Water Section, Manager Houston Regional Office Texas Commission on Environmental Quality 5425 Polk Avenue, Suite H Houston, Texas 77023-1486

- 4. The provisions of this Agreed Order shall apply to and be binding upon the City. The City is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
- 5. If the City fails to comply with any of the Ordering Provisions in this Agreed Order within the prescribed schedules, and that failure is caused solely by an act of God, war, strike, riot, or other catastrophe, the City's failure to comply is not a violation of this Agreed Order. The City shall have the burden of establishing to the Executive Director's satisfaction that such an event has occurred. The City shall notify the Executive Director within seven days after the City becomes aware of a delaying event and shall take all reasonable measures to mitigate and minimize any delay.
- 6. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the City shall be made in writing to the Executive Director. Extensions are not effective until the City receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 7. This Agreed Order, issued by the Commission, shall not be admissible against the City in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
- 8. This agreement may be executed in multiple counterparts, which together shall constitute a single original instrument. Any executed signature page to this Agreement may be transmitted by facsimile transmission to the other parties, which shall constitute an original signature for all purposes.

en de la companya de la co

City of Southside Place DOCKET NO. 2007-1760-MWD-E Page 5

9. Under 30 TEX. ADMIN. CODE § 70.10(b), the effective date is the date of hand-delivery of the Order to the City, or three days after the date on which the Commission mails notice of the Order to the City, whichever is earlier. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties.

### SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

요		
For the Commission		
고시크 도일도속 생활을 받아 많은 경험으로 하다고.		ani da aktor jija atawa. Tingga katawa
For the Executive Director	31	5/2008
For the Executive Director	Date	

I, the undersigned, have read and understand the attached Agreed Order. I am authorized to agree to the attached Agreed Order on behalf of the entity indicated below my signature, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEO seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

Signature Signat

Name (Printed or typed)
Authorized Representative of
City of Southside Place

January 7, 2008

Date

Title Maraja

**Instructions**: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenues Section at the address in Section IV, Paragraph 1 of this Agreed Order.

# Attachment A Docket Number: 2007-1760-MWD-E

#### SUPPLEMENTAL ENVIRONMENTAL PROJECT

Respondent: City of Southside Place

Payable Penalty Amount: Two Thousand Eight Hundred Eighty Dollars (\$2,880)

SEP Amount: Two Thousand Eight Hundred Eighty Dollars (\$2,880)

Type of SEP: Pre-approved

Third-Party Recipient: Texas Association of Resource Conservation and Development

Areas, Inc. ("RC&D")- Wastewater Treatment Assistance

**Location of SEP:** Harris County

The Texas Commission on Environmental Quality ("TCEQ") agrees to offset a portion of the administrative Penalty Amount assessed in this Agreed Order for the Respondent to contribute to a Supplemental Environmental Project ("SEP"). The offset is equal to the SEP Amount set forth above and is conditioned upon completion of the project in accordance with the terms of this Attachment A.

#### 1. Project Description

#### A. Project

The Respondent shall contribute to the Third-Party Recipient pursuant to the agreement between the Third-Party Recipient and the TCEQ. Specifically, the contribution will be used to provide low income rural homeowners with assistance to enable the repair or replacement of their failing on-site wastewater systems. SEP monies will be used to pay for the labor and materials costs related to repairing or replacing the failing systems. The recipients will not be charged for the cost of replacing or repairing the failing systems.

The Respondent certifies that there is no prior commitment to do this project and that it is being performed solely in an effort to settle this enforcement action.

#### B. Environmental Benefit

This SEP will provide a discernible environmental benefit by protecting water sources for drinking, recreation, and wildlife from contamination from failing treatment systems.

#### C. Minimum Expenditure

The Respondent shall contribute at least the SEP Amount to the Third-Party Recipient and comply with all other provisions of this SEP.

 All participants of the property 

the state of the property of the

#### 2. Performance Schedule

Within 30 days after the effective date of this Agreed Order, the Respondent must contribute the SEP Amount to the Third-Party Recipient. The Respondent shall mail the contribution, with a copy of the Agreed Order, to:

Texas Association of Resource Conservation and Development Areas, Inc. 1716 Briarcrest Drive, Suite 510 Bryan, Texas 77802-2700

#### 3. Records and Reporting

Concurrent with the payment of the SEP Amount, the Respondent shall provide the TCEQ SEP Coordinator with a copy of the check and transmittal letter indicating full payment of the SEP Amount to the Third-Party Recipient. The Respondent shall mail a copy of the check and transmittal letter to:

Enforcement Division Attention: SEP Coordinator, MC 219 Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087

#### 4. Failure to Fully Perform

If the Respondent does not perform its obligations under this SEP in any way, including full payment of the SEP Amount and submittal of the required reporting described in Section 3 above, the Executive Director may require immediate payment of all or part of the SEP Amount.

The check for any amount due shall be made out to "Texas Commission on Environmental Quality" and mailed to:

Texas Commission on Environmental Quality Financial Administration Division, Revenues Attention: Cashier, MC 214 P.O. Box 13088 Austin, Texas 78711-3088

The Respondent shall also mail a copy of the check to the TCEQ SEP Coordinator at the address in Section 3 above.

#### 5. Publicity

Any public statements concerning this SEP made by or on behalf of the Respondent must include a clear statement that the project was performed as part of the settlement of an enforcement action brought by the TCEQ. Such statements include advertising, public relations, and press releases.

City of Southside Place Agreed Order – Attachment A

#### 6. Clean Texas Program

The Respondent shall not include this SEP in any application made to TCEQ under the "Clean Texas" (or any successor) program(s). Similarly, the Respondent may not seek recognition for this contribution in any other state or federal regulatory program.

#### 7. Other SEPs by TCEQ or Other Agencies

The SEP identified in this Agreed Order has not been, and shall not be, included as an SEP for the Respondent under any other Agreed Order negotiated with the TCEQ or any other agency of the state or federal government.